


Rotec FRP Overschuif Flenzen

Steuning door warm persen

Drilling Standard: EN1092 PN16, Pipe Type: PE/PP



#	DN (mm)	Pmax (bar)	Pipe OD (mm)	D (mm)	d1 (mm)	d10 (mm)	r1 (mm)	k (mm)	Holes (no.)	d2 (mm)	b1 (mm)	Article Number
1	15	16	20	98	28	27	3	65	4	14	15	BRPPE-15-28-16/16
2	20	16	25	116	34	33	3	75	4	14	15	BRPPE-20-34-16/16
3	25	16	32	116	42	40	3	85	4	14	15	BRPPE-25-42-16/16
4	32	16	40	140	51	50	3	100	4	18	16	BRPPE-32-51-16/16
5	40	16	50	154	62	61	3	110	4	18	18	BRPPE-40-62-16/16
6	50	16	63	164	78	77	4	125	4	18	18	BRPPE-50-78-16/16
7	65	16	75	184	92	89	4	145	4	18	20	BRPPE-65-92-16/16
8	80	10	90	200	108	107	4	160	8	18	23	BRPPE-80-108-10/16
9	80	16	90	200	108	107	4	160	8	18	28	BRPPE-80-108-16/16
10	100	6	110	228	128	125	5	180	8	18	20	BRPPE-100-128-06/16
11	100	6	125	228	134	133	5	180	8	18	20	BRPPE-100-134-06/16
12	100	10	110	228	128	125	5	180	8	18	25	BRPPE-100-128-10/16
13	100	10	125	228	134	133	5	180	8	18	25	BRPPE-100-134-10/16
14	100	16	110	228	128	125	5	180	8	18	30	BRPPE-100-128-16/16
15	100	16	125	228	134	133	5	180	8	18	30	BRPPE-100-134-16/16
16	125	6	140	254	158	155	5	210	8	18	22	BRPPE-125-158-06/16


Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

Rotec FRP Overschuif Flenzen

Steuning door warm persen

Drilling Standard: EN1092 PN16, Pipe Type: PE/PP



#	DN (mm)	Pmax (bar)	Pipe OD (mm)	D (mm)	d1 (mm)	d10 (mm)	r1 (mm)	k (mm)	Holes (no.)	d2 (mm)	b1 (mm)	Article Number
17	125	10	140	254	158	155	5	210	8	18	28	BRPPE-125-158-10/16
18	125	16	140	254	158	155	5	210	8	18	34	BRPPE-125-158-16/16
19	150	6	160	284	178	175	5	240	8	22	25	BRPPE-150-178-06/16
20	150	6	180	284	185	182	5	240	8	22	25	BRPPE-150-185-06/16
21	150	10	160	284	178	175	5	240	8	22	34	BRPPE-150-178-10/16
22	150	10	180	284	185	182	5	240	8	22	34	BRPPE-150-185-10/16
23	150	16	160	284	178	175	5	240	8	22	40	BRPPE-150-178-16/16
24	150	16	180	284	185	182	5	240	8	22	40	BRPPE-150-185-16/16
25	200	10	200	342	235	232	6	295	12	22	38	BRPPE-200-235-10/16
26	200	10	225	342	238	237	6	295	12	22	38	BRPPE-200-238-10/16
27	200	16	200	342	235	232	6	295	12	22	48	BRPPE-200-235-16/16
28	200	16	225	342	238	237	6	295	12	22	48	BRPPE-200-238-16/16
29	250	10	250	405	288	285	6	355	12	26	42	BRPPE-250-288-10/16
30	250	10	280	405	294	293	6	355	12	26	42	BRPPE-250-294-10/16
31	250	16	250	405	288	285	6	355	12	26	54	BRPPE-250-288-16/16
32	250	16	280	405	294	293	6	355	12	26	54	BRPPE-250-294-16/16
33	300	10	315	458	338	335	6	410	12	26	48	BRPPE-300-338-10/16

Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.