


Rotec Blind Flenzen

Hars Derakane 411 (of equivalent)

Drilling Standard: EN1092 PN10



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
1	15	10	98	65	4	14	18	BFS-15-10/16
2	20	10	98	75	4	14	18	BFS-20-10/16
3	25	10	116	85	4	14	18	BFS-25-10/16
4	32	10	140	100	4	18	18	BFS-32-10/16
5	40	10	154	110	4	18	18	BFS-40-10/16
6	50	10	164	125	4	18	18	BFS-50-10/16
7	65	10	184	145	4	18	18	BFS-65-10/16
8	80	10	200	160	8	18	22	BFS-80-10/16
9	100	10	228	180	8	18	22	BFS-100-10/16
10	125	10	254	210	8	18	22	BFS-125-10/16
11	150	10	285	240	8	22	22	BFS-150-10/16
12	200	10	340	295	8	22	25	BFS-200-10/10
13	250	6	395	350	12	22	25	BFS-250-06/10
14	250	10	395	350	12	22	35	BFS-250-10/10
15	300	6	445	400	12	22	28	BFS-300-06/10
16	300	10	445	400	12	22	30	BFS-300-10/10

Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

Rotec Blind Flenzen

Hars Derakane 411 (of equivalent)

Drilling Standard: EN1092 PN10



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
17	350	6	505	460	16	22	35	BFS-350-06/10
18	350	10	505	460	16	22	40	BFS-350-10/10
19	400	6	565	515	16	26	35	BFS-400-06/10
20	400	10	565	515	16	26	48	BFS-400-10/10
21	450	6	640	565	20	26	40	BFS-450-06/10
22	450	10	640	565	20	26	52	BFS-450-10/10
23	500	3	670	620	20	26	35	BFS-500-03/10
24	500	6	670	620	20	26	44	BFS-500-06/10
25	500	10	670	620	20	26	60	BFS-500-10/10
26	600	3	780	725	20	30	44	BFS-600-03/10
27	600	6	780	725	20	30	52	BFS-600-06/10
28	600	10	780	725	20	30	68	BFS-600-10/10
29	700	3	910	840	24	30	48	BFS-700-03/10
30	700	6	910	840	24	30	60	BFS-700-06/10
31	700	10	910	840	24	30	74	BFS-700-10/10
32	800	3	1015	950	24	33	60	BFS-800-03/10
33	800	6	1015	950	24	33	68	BFS-800-06/10

Disclaimer


Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

08-02-2024

Rotec Blind Flenzen

Hars Derakane 411 (of equivalent)

Drilling Standard: EN1092 PN10



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
34	800	10	1015	950	24	33	85	BFS-800-10/10
35	900	3	1125	1050	28	33	60	BFS-900-03/10
36	900	6	1125	1050	28	33	78	BFS-900-06/10
37	900	10	1125	1050	28	33	95	BFS-900-10/10
38	1000	3	1230	1160	28	36	68	BFS-1000-03/10
39	1000	6	1230	1160	28	36	85	BFS-1000-06/10
40	1000	10	1230	1160	28	36	105	BFS-1000-10/10
41	1200	3	1484	1380	32	39	80	BFS-1200-03/10
42	1200	6	1484	1380	32	39	105	BFS-1200-06/10
43	1200	10	1484	1380	32	39	120	BFS-1200-10/10
44	1400	3	1685	1590	36	42	95	BFS-1400-03/10
45	1400	6	1685	1590	36	42	120	BFS-1400-06/10
46	1400	10	1685	1590	36	42	140	BFS-1400-10/10
47	1600	3	1930	1820	40	48	100	BFS-1600-03/10
48	1600	6	1930	1820	40	48	130	BFS-1600-06/10
49	1600	10	1930	1820	40	48	155	BFS-1600-10/10
50	1800	3	2130	2020	44	48	120	BFS-1800-03/10


Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

Rotec Blind Flenzen

Hars Derakane 411 (of equivalent)

Drilling Standard: EN1092 PN10



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
51	1800	6	2130	2020	44	48	145	BFS-1800-06/10
52	1800	10	2130	2020	44	48	175	BFS-1800-10/10
53	2000	3	2360	2230	48	48	125	BFS-2000-03/10
54	2000	6	2360	2230	48	48	160	BFS-2000-06/10
55	2000	10	2360	2230	48	48	195	BFS-2000-10/10
56	2200	3	2580	2440	52	56	135	BFS-2200-03/10
57	2200	6	2580	2440	52	56	175	BFS-2200-06/10
58	2200	10	2580	2440	52	56	210	BFS-2200-10/10
59	2400	3	2780	2650	56	56	150	BFS-2400-03/10
60	2400	6	2780	2650	56	56	190	BFS-2400-06/10
61	2400	10	2780	2650	56	56	230	BFS-2400-10/10

Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

08-02-2024