

Blind Flenzen

Matrix (hars) Derakane 470

Drilling Standard: ANSI B16.47 Class 150



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
1	700	3	950	864	28	35	48	BFC-700-03/150
2	700	6	950	864	28	35	60	BFC-700-06/150
3	700	10	950	864	28	35	74	BFC-700-10/150
4	700	16	950	864	28	35	92	BFC-700-16/150
5	800	3	1085	978	28	41	60	BFC-800-03/150
6	800	6	1085	978	28	41	68	BFC-800-06/150
7	800	10	1085	978	28	41	85	BFC-800-10/150
8	800	16	1085	978	28	41	105	BFC-800-16/150
9	900	3	1190	1086	32	41	60	BFC-900-03/150
10	900	6	1190	1086	32	41	78	BFC-900-06/150
11	900	10	1190	1086	32	41	95	BFC-900-10/150
12	900	16	1190	1086	32	41	115	BFC-900-16/150
13	1000	3	1320	1200	36	41	68	BFC-1000-03/150
14	1000	6	1320	1200	36	41	85	BFC-1000-06/150
15	1000	10	1320	1200	36	41	105	BFC-1000-10/150
16	1000	16	1320	1200	36	41	130	BFC-1000-16/150

Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

09-02-2024

Blind Flenzen

Matrix (hars) Derakane 470

Drilling Standard: ANSI B16.47 Class 150



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
17	1100	3	1430	1314	40	41	74	BFC-1100-03/150
18	1100	6	1430	1314	40	41	95	BFC-1100-06/150
19	1100	10	1430	1314	40	41	110	BFC-1100-10/150
20	1100	16	1430	1314	40	41	140	BFC-1100-16/150
21	1200	3	1540	1422	44	41	80	BFC-1200-03/150
22	1200	6	1540	1422	44	41	105	BFC-1200-06/150
23	1200	10	1540	1422	44	41	120	BFC-1200-10/150
24	1200	16	1540	1422	44	41	155	BFC-1200-16/150
25	1300	3	1660	1537	44	48	85	BFC-1300-03/150
26	1300	6	1660	1537	44	48	110	BFC-1300-06/150
27	1300	10	1660	1537	44	48	130	BFC-1300-10/150
28	1300	16	1660	1537	44	48	165	BFC-1300-16/150
29	1400	3	1780	1651	48	48	95	BFC-1400-03/150
30	1400	6	1780	1651	48	48	120	BFC-1400-06/150
31	1400	10	1780	1651	48	48	140	BFC-1400-10/150
32	1400	16	1780	1651	48	48	175	BFC-1400-16/150
33	1500	3	1890	1759	52	48	100	BFC-1500-03/150

Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

09-02-2024

Blind Flenzen

Matrix (hars) Derakane 470

Drilling Standard: ANSI B16.47 Class 150



#	DN (mm)	Pmax (bar)	D (mm)	k (mm)	Holes (no.)	d2 (mm)	T (mm)	Article Number
34	1500	6	1890	1759	52	48	125	BFC-1500-06/150
35	1500	10	1890	1759	52	48	150	BFC-1500-10/150
36	1500	16	1890	1759	52	48	190	BFC-1500-16/150

Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

09-02-2024